

 **Wilsonart**[®]
QUARTZ






Q4009
KOLAMS




Q3011
GALILEO



Q1001
SERENE




Q4008
HAIDA




Q1012
LORRAINE




Q4011
ARASHI




Q1002
NIWA



Q4009
KOLAMS



Q4007
DUOMO



Q2001
LYRA




Q3008
RIO UPANO



Q2004
SANS SOUCI



Q4023
SANTIAGO




Q4024
VIA AUGUSTA



Q2006
VIAGGIO




Q4014
MURREN



Q4001
BADALING



Q1003
GOBI




Q3001
SKYE CLIFF



Q3002
OSTERIA



Q4017
ARNO



Q4022
JULES



Q4023
SANTIAGO



Q2002
MAJESTIC



Q4016
LAS MEDULAS




Q4015
TURIA




Q4003
ARAKU




Q1007
POMPEII




Q1005
ARLINGTON



Q1008
KEY WEST



Q1006
INFINITY



Q1014
PETRA




Q4012
SANGDA FALLS



Q3011
GALILEO




Q2005
BUKHAN




Q3012
NAKASENDO




Q1004
AMALFI COAST



Q3005
VITTORIO



Q4004
MEHNDI




Q4002
COLZA




Q1013
CHILLKAT



Q3003
RIALTO



Q3004
KABI




Q4019
GAUDI



Q1011
ALAMOSA




Q1011
ALAMOSA




Q4005
ADENA



Q2003
AURORA



Q4006
XCARET



Q3006
ADASTRA

Sheet Dimensions

Wilsonart® Quartz Standard Size

Slab Width	55" (141 cm) ± 0.39" (1 cm)
Slab Length	120" (306 cm) ± 0.39" (1 cm)
Thickness	Product Type 062 = 0.79" (2 cm) ± 0.060" (0.15 cm) Product Type 063 = 1.18" (3 cm) ± 0.060" (0.15 cm)
Approximate Weight	Product Type 062 = 10 lbs/ft ² (2 cm) Product Type 063 = 15 lbs/ft ² (3 cm)

Physical Properties

Test Description	Typical Results	Test
Flexural Strength	>6,000	ADTM D 790
	31 - 75	EN14617-2
Thermal Expansion Coefficient	16 x 10 ⁻⁶ - 20.8 x 10 ⁻⁶ *	EN14617-11
Impact Resistance	3.4 - 7.35	EN14617-9
Stain Resistance	No Effect	EN14617-10
Chemical Resistance (acids and bases)	C4	EN14617-10
Abrasion Resistance	>100	ADTM C501
	23.6 - 27.5	EN14617-4
Density (g/cm ³)	>2.1	ASTM C97
Compressive Strength (One Axis – Dry) (psi)	>20,000	ASTM C170
Moisture Absorption	<0.03	ASTM C97
		EN14617-1
Freeze and Thaw Resistance	0.999	EN14617-5
Fire Behavior	Class 1/A Rating	ASTM E 84

* Test results vary slightly depending on pattern

Wilsonart® Quartz is a natural product, and for this reason a slight variance in color, shade, and structure of the natural stone is inherent. This sample is meant to reflect a general indication of a particular design's color, hue, and composition, and is not a guaranteed replication of a full-sized Wilsonart Quartz slab.

COVER: Q4004 Mehndi

ABOUT WILSONART

Wilsonart is one of the world's leading manufacturers and distributors of High Pressure Laminates, Quartz, Solid Surface and other engineered surfaces used in furniture, office and retail space, countertops, worktops and other applications. The company operates under the Wilsonart®, Resopal®, Polyrey®, Durcon®, Arborite® and Ralph Wilson® brands and has achieved success through a combination of outstanding service, high-quality products and a focus on continuously redefining decorative surfaces through improved performance and aesthetics. For more information, visit Wilsonart.com or connect with us on Instagram, Facebook and Twitter.



©2015 Wilsonart LLC, 2501 Wilsonart Drive, P.O. Box 6110, Temple, TX 76503-6110
For Samples: Wilsonart.com 800-433-3222 QZ0105



Wilsonart literature is printed using environmentally responsible processes and paper.