



LARSON

Secure your home in style.

Steel Storm

FIXED GLASS
Interchangeable Screen


Fiberglass Screen

HANDLE SET
included

- Heavy-duty 1" x 2", 16-gauge steel frame
- Three 7" forged hinges
- Interchangeable tempered safety glass and fiberglass insect screen (Self-Storing 987300 and Provincial 987500 have built-in screen and operating sash)
- Reinforced steel kick panel (select models)
- Anti-Removal System with vault pin behind hinge
- Durable pneumatic closer and wind chain
- Aluminum mounting rails with full weatherstrip
- Powder coated maintenance free finish


HANDLE SELECTION

Universal Lockset with Deadbolt and Pick Guard
Double key cylinder lock available, sold separately



Brass Pewter Oil-Rubbed Bronze*

STANDARD COLORS



SPECKLED



FULL-VIEW SERIES



Picture Glass/Screen 981100 One Lite Glass/Screen 987280 Self-Storing 987300

Full-View Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Picture 981100		
One Lite 987280		
Self-Storing 987300		

* Add \$_____ for Oil Rubbed Bronze

NATURE SERIES



Aspen 981142 Pine Cone 981144 Cattail 981145

Nature Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Aspen 981142		
Pine Cone 981144		
Cattail 981145		

* Add \$_____ for Oil Rubbed Bronze

VICTORIAN SERIES



Grand Era 985125 Estate 985115

Victorian Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Grand Era 985125		
Estate 985115		

* Add \$_____ for Oil Rubbed Bronze

CRAFTSMAN SERIES



Town Square 980175 River Bend 980178 Provincial 987500

Craftsman Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Town Square 980175		
River Bend 980178		
Provincial 987500		

* Add \$_____ for Oil Rubbed Bronze

CUSTOM SIZES

Add \$_____ per sq. ft.


- Specify opening size when ordering
- Manufactured to fit opening size specified
- Indicate hinge side when ordering
- Lead time: 3–4 weeks

CUSTOM Full-View Series	Width Range	Height Range
Picture One Lite Self-Storing	27" to 42"	76" to 96"
CUSTOM Nature Series		
Aspen Pine Cone Cattail	30" to 42"	76" to 96"
CUSTOM Victorian Series		
Grand Era Estate	32" to 42"	76" to 96"
CUSTOM Craftsman Series		
Town Square River Bend	30" to 42"	76" to 96"
Provincial	26" to 36"	76" to 96"

Security Screen and Storm



- Heavy-duty 1" x 2", 16-gauge steel frame
- Three 7-inch forged hinges
- Stainless steel screen with two 90° bends for added strength
- Self-storing tempered safety glass
- Anti-Removal System with vault pin behind hinge
- Durable pneumatic closer and wind chain
- Aluminum mounting rails with full weatherstrip
- Powder coated maintenance free finish
- Reinforced lock box accepts most standard deadbolts and handles: **sold separately**



STANDARD COLORS



SPECKLED



FUSION SERIES



Bradford
986880

Sonoma
986800

Amesbury
986823



Barrington
986818

Somerset
986801

Fusion Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Bradford 986880		
Sonoma 986800		
Amesbury 986823		
Barrington 986818		
Somerset 986801		
WIDTH: 34" HEIGHTS: 79½"–81"	Brown	
Bradford 986880		

HARDWARE – Sold Separately

MAIL SLOTS AVAILABLE – Sold Separately

CUSTOM SIZES

Add \$_____ per sq. ft.

- Specify opening size when ordering
- Manufactured to fit opening size specified
- Indicate hinge side when ordering
- Lead time: 3–4 weeks

CUSTOM Fusion Series	Width Range	Height Range
	30" to 36"	76" to 84"

OPTIONS: See page 6 for complete list of available options.



Security Storm

Steel Bars

FIXED GLASS
Interchangeable Screen

Fiberglass Screen

HANDLE SET included

- Heavy-duty 1" x 2", 16-gauge steel frame
- Three 7-inch forged hinges
- Interchangeable tempered safety glass and fiberglass insect screen
- Anti-Removal System with vault pin behind hinge for extra security
- Durable pneumatic closer and wind chain
- Aluminum mounting rails with full weatherstrip
- Powder coated maintenance free finish


HANDLE SELECTION

Universal Lockset with Deadbolt and Pick Guard
Double key cylinder lock available, sold separately




Brass Pewter Oil-Rubbed Bronze*

STANDARD COLORS



SPECKLED



OLD WORLD

SOUTHWESTERN



Belleza 982128 Palazzo 982147 Dakota 983130

Old World Series		
WIDTH: 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Belleza 982128		
Palazzo 982147		
Southwestern Series		
WIDTH: 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Dakota 983130		

* Add \$ _____ for Oil Rubbed Bronze

TRADITIONAL SERIES



Clearwater 984101 Bird-of-Paradise 984102 Autumn Leaf 984103

Traditional Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Clearwater 984101		
Bird-of-Paradise 984102		
Autumn Leaf 984103		
Tapestry 984108		
Marquis 984109		
Simplicity 984122		

* Add \$ _____ for Oil Rubbed Bronze



Tapestry 984108 Marquis 984109 Simplicity 984122

DESIGNER SERIES



Silhouette 980118 Divided Lite 980123

Designer Series		
WIDTHS: 32", 36" HEIGHTS: 79½"–81"	Standard Colors	Speckled Colors
Silhouette 980118		
Divided Lite 980123		

* Add \$ _____ for Oil Rubbed Bronze

CUSTOM SIZES

Add \$ _____ per sq. ft.

- Specify opening size when ordering
- Manufactured to fit opening size specified
- Indicate hinge side when ordering
- Lead time: 3–4 weeks

CUSTOM Old World Series	Width Range	Height Range
Belleza Palazzo	34" to 42"	76" to 96"
CUSTOM Southwestern Series		
Dakota	30" to 42"	76" to 96"
CUSTOM Traditional Series		
Clearwater Autumn Leaf Tapestry Marquis Simplicity	30" to 42"	76" to 96"
CUSTOM Designer Series		
Silhouette Divided Lite	30" to 42"	76" to 96"

Security Storm

Steel Bars

FIXED GLASS

Fiberglass Screen

- Heavy-duty 1" x 2", 16-gauge steel frame
- Two forged hinges
- Tempered safety glass
- Anti-Removal System with vault pin behind hinge
- Heavy duty pneumatic closer and windchain
- Reinforced lock box accepts most standard deadbolts and knobs: **sold separately**

STANDARD COLORS



GUARDSMAN SERIES



Courtyard
920-20



Garden View
920-21



Guardsman Series	Black White
WIDTHS: 32", 34" 36" HEIGHTS: 80"–81"	
Courtyard 920-20	
Garden View 920-21	

Screen not included
Lead time: 3–4 weeks
Optional half screen for top or bottom vent \$ _____

HARDWARE SOLD SEPARATELY

- Heavy-duty steel construction
- Tamper resistant hinges
- Interchangeable tempered safety glass and fiberglass screen
- Powder coated maintenance free finish
- One-way screws
- Heavy duty pneumatic closer
- Reinforced lock box accepts most standard deadbolts and knobs: **sold separately**

STANDARD COLORS



Matrix
920-26
1"x2" frame




Laramie
920-25
1"x1" frame

Matrix 920-26	Black White
WIDTHS: 32", 36" HEIGHTS: 80"–81"	
Laramie 920-25	
WIDTHS: 32", 34" 36" HEIGHTS: 80"–81"	

Lead time: 3–4 weeks
HARDWARE SOLD SEPARATELY

Measuring Guide

Tube steel hinge and latch rails for surface mounting.



OPTIONS: See page 6 for complete list of available options.


Security Screen



- Heavy-duty 1" x 2", 16-gauge steel frame
- Three 7" forged hinges
- Steel mesh screen provides security plus ventilation
- Reinforced steel kick panel
- Anti-Removal System with vault pin behind hinge for extra security
- Durable pneumatic closer and wind chain
- Aluminum mounting rails with full weatherstrip
- Powder coated maintenance free finish

HANDLE SELECTION


Universal Lockset with Deadbolt and Pick Guard
Double key cylinder lock available, sold separately



STANDARD COLORS



SPECKLED



Twin Screen
987200

Full-View Series

WIDTHS: 32", 36" HEIGHTS: 79½" – 81"	Standard Colors	Speckled Colors
Twin Screen 987200		

* Add \$_____ for Oil Rubbed Bronze

CUSTOM SIZES

Add \$_____ per sq. ft.

- Specify opening size and hinge side when ordering
- Manufactured to fit opening size specified
- Lead time: 3-4 weeks

CUSTOM	Width Range	Height Range
Twin Screen	27" to 36"	76" to 96"

STEEL DOOR OPTIONS

SERIES	AVAILABLE OPTIONS	ADD TO PRICE OF DOOR
FULL-VIEW SERIES	Charcoal Aluminum Screen: Self-Storing, Picture, One Lite	
	Pet Screen: Picture, One Lite	
	French Door	single door X2
	Oil-Rubbed Bronze Lever	
	Double Keyed Cylinder	
NATURE SERIES	Charcoal Aluminum Screen	
	Copper Screen	
	Pet Screen	
	Tinted Glass	
	French Door	single door X2
	Oil-Rubbed Bronze Lever	
VICTORIAN SERIES	Charcoal Aluminum Screen: Estate	
	Charcoal Aluminum Screen: Grand Era	
	French Door	single door X2
	Oil-Rubbed Bronze Lever	
	Double Keyed Cylinder	
CRAFTSMAN SERIES	Charcoal Aluminum Screen	
	Pet Screen: Town Square, River Bend	
	French Door	single door X2
	Oil-Rubbed Bronze Lever	
	Double Keyed Cylinder	

SERIES	AVAILABLE OPTIONS	ADD TO PRICE OF DOOR
FUSION SERIES	Mail Slots	
	French Door	single door X2
OLD WORLD SERIES	Charcoal Aluminum Screen	
	Copper Screen	
	Tinted Glass	
	French Door	single door X2
	Oil-Rubbed Bronze Lever	
SOUTHWESTERN	Double Keyed Cylinder	
	Charcoal Aluminum Screen	
	Mail Slots	
	French Door	single door X2
TRADITIONAL SERIES	Oil-Rubbed Bronze Lever	
	Double Keyed Cylinder	
	Charcoal Aluminum Screen	
	Self-Storing Glass: Marquis	
	Mail Slots (Center Frieze models)	
	French Door	single door X2
DESIGNER SERIES	Oil-Rubbed Bronze Lever	
	Double Keyed Cylinder	
	Charcoal Aluminum Screen	
	Pet Screen	
	French Door	single door X2

Steel Products




HVAC Guard

- Fully welded frame construction
- 16-gauge tubular steel
- Expanded metal; powder coated finish
- Double pivoting system for easy access
- Easy assembly
- Accepts padlocks (sold separately)

HVAC GUARD

3-SIDED CONFIGURATION
PROTECTS AC UNIT AND MECHANICAL LINES




*NOTE: Verify that Guard width (E) and Guard Length (F) do not exceed existing pad measurements (H) and (J).

Call for Quotes

Job lot quantities available



Bronze

	AG BASE (OPTIONAL) <ul style="list-style-type: none"> • Pre-formed, roto-molded • Reinforced interior accepts water or sand for an additional 200 lbs. of weight 	BASE SIZE
		45" x 45"

Steel Products



Window Guard Standard Window Security Bar

- Widths from 10" to 40"
- Heavy duty gauge steel frame
- Welded security bars
- Installation holes pre drilled



Window Guard Deluxe Window Security Bar

- Widths from 10" to 40"
- Heavy duty gauge steel frame
- Expanded security metal mesh
- Inside deadbolt lock included
- Installation holes pre drilled
- Hinges welded to frame
- Determine hinge location when ordering

Specify opening size when ordering:

Minimum–Maximum width:
10" to 40"

Minimum–Maximum height:
10" to 70"

Indicate mounting application:

- Inside window opening
- Overlap window opening



Standard



Deluxe (Interior View)



Black



White

MODEL		RETAIL
WGS Standard	United opening inches less than 86	
	Greater than 86 united opening inches Call for pricing	
WGD Deluxe	United opening inches less than 86	
	Greater than 86 united opening inches Call for pricing	

Window bars are manufactured to fit opening size and application



Folding Security Gate

- Adjusts to openings up to 48 in. wide
12 – 52 in. width
79 in. height
- Sturdy construction
- Baked-on powder coat finish
- Reinforced rivets
- Hinged to swing out
- Accepts padlocks (sold separately)



Black

MODEL		RETAIL
915-48 Folding Security Gate	Black	Fits openings WIDTHS: 12"–52" HEIGHT: 79"

WARRANTY DETAIL

Applies to original purchaser of door only; covers manufacturer's defects only.

WARRANTY	LIMITED LIFETIME FRAME WARRANTY
	During the life of the door, Larson Manufacturing Company will warranty all manufacturer's defects. A nominal processing fee may apply.
	ONE YEAR FINISH WARRANTY covers door finish.

DOOR FRAME AND HINGES: LARSON® warrants the door frame and mounting rails to be free from defects in manufacturing, materials, or workmanship, under normal use, for the period stated above.

COMPONENTS: LARSON® warrants the components of the door including handle sets (if applicable), window sash, screen frame, retainer clips, closers, to be free from defects in manufacturing, materials, and workmanship for a period of one year from the date of original retail purchase.

STORM DOOR WARRANTY LIMITATIONS:

- Warranty only applies to original homeowners of owner-occupied residential properties and covers manufacturer's defects.
- Modification of door will void warranty.
- Damage or breakage to the screen/glass insert is not covered under warranty.
- Acts of nature including wind damage and flooding are not covered under warranty.
- Damages resulting from improper installation or misuse are not covered under the warranty.
- Labor cost, reinstallation fees are not covered under warranty.
- Water damage due to lack of rain diversion or structural overhang is not covered under warranty.
- Certain coastal applications, chemicals or airborne pollutants such as salt or acid rain are not covered under warranty.
- Your exclusive remedy is limited to the repair and replacement of the defective product.