



affordable style





When style also saves money, it's a good thing. Trendy, eye-catching designs help reduce energy bills – all while meeting energy efficiency requirements. And our fans even match our lighting families. Could there be any greater selling points? We don't think so.



CEILING FAN

Product Knowledge.

CEILING FANS

MARTINIQUE | DRAKE | EASTPORT | IRONWOOD | BRISTOL | AUBREY



Energy Efficiency Data
 airflow - 5,150 CFM
 electricity use - 55 Watts (excludes lights)
 airflow efficiency - 94 CFM/Watt

A



Energy Efficiency Data
 airflow - 4,950 CFM
 electricity use - 50 Watts (excludes lights)
 airflow efficiency - 99 CFM/Watt

B



Energy Efficiency Data
 airflow - 4,500 CFM
 electricity use - 60 Watts (excludes lights)
 airflow efficiency - 75 CFM/Watt

C

Martinique

- A. 154104** - 52" ceiling fan
 oil rubbed bronze finish
- reversible motor for year round comfort
 - 3/4" dia. x 4" downrod included
 - tri-mount adaptable
 - 3-speed pull chain control
 - remote control included
 - damp location use
 - light kit adaptable
 - limited 10 year warranty

five ABS blades:



chestnut finish

Drake

- B. 154005** - 52" ceiling fan
 oil rubbed bronze finish with alabaster glass
- reversible motor for year round comfort
 - 3/4" dia. x 6" downrod included
 - tri-mount adaptable
 - 3-speed pull chain control
 - four 40W C base bulbs (incl.)
 - limited 10 year warranty

five reversible blades:



dark mahogany finish



beechwood finish


Eastport

- C. 154336** - 52" ceiling fan
 satin nickel finish with frosted white glass
- reversible motor for year round comfort
 - 3/4" dia. x 6" downrod included
 - tri-mount adaptable
 - 3-speed pull chain control
 - two 60W C base bulbs (incl.)
 - limited 10 year warranty

five blades:




redwood finish



D



Energy Efficiency Data
airflow - 5,380 CFM
electricity use - 65 Watts (excludes lights)
airflow efficiency - 83 CFM/Watt



E

Energy Efficiency Data
airflow - 4,950 CFM
electricity use - 50 Watts (excludes lights)
airflow efficiency - 99 CFM/Watt



F


Energy Efficiency Data
airflow - 4,950 CFM
electricity use - 50 Watts (excludes lights)
airflow efficiency - 99 CFM/Watt

Ironwood

D. 154070 - 52" ceiling fan
satin nickel finish with snow glass

reversible motor for year round comfort
3/4" dia. x 4" downrod included
tri-mount adaptable
3-speed pull chain control
two 13W GU24 base bulbs (incl.)
limited 10 year warranty

five reversible blades:



Bristol

E. 154013 - 52" ceiling fan
satin nickel finish with alabaster glass

reversible motor for year round comfort
3/4" dia. x 6" and 18" downrods included
tri-mount adaptable
3-speed pull chain control
three 60W C base bulbs (incl.)
limited 10 year warranty

five reversible blades:



Aubrey

F. 556621 - 52" ceiling fan
satin nickel finish with frosted white glass


reversible motor for year round comfort
3/4" dia. x 4" downrod included
tri-mount adaptable
3-speed pull chain control
three 60W M base bulbs (incl.)
limited 10 year warranty

five reversible blades:



CEILING FANS

TORINO | IRONWOOD | TREVIE | BRISTOL | ATRIUM




Energy Efficiency Data
 airflow - 4,950 CFM
 electricity use - 50 Watts (excludes lights)
 airflow efficiency - 99 CFM/Watt

Energy Efficiency Data
 airflow - 4,950 CFM
 electricity use - 50 Watts (excludes lights)
 airflow efficiency - 99 CFM/Watt

Torino

- A. 154245** - 52" ceiling fan
 brushed bronze finish with snow glass
- reversible motor for year round comfort
 - 3/4" dia. x 4" downrod included
 - tri-mount adaptable
 - 3-speed pull chain control
 - three 60W C base bulbs (incl.)
 - limited 10 year warranty


five reversible blades:



Torino

- B. 154138** - 52" ceiling fan
 satin nickel finish with snow glass
- reversible motor for year round comfort
 - 3/4" dia. x 4" downrod included
 - tri-mount adaptable
 - 3-speed pull chain control
 - three 60W C base bulbs (incl.)
 - limited 10 year warranty


five reversible blades:




Ironwood

- C. 154112** - 52" ceiling fan
 brushed bronze finish with snow glass
- reversible motor for year round comfort
 - 3/4" dia. x 4" downrod included
 - tri-mount adaptable
 - 3-speed pull chain control
 - three 60W C base bulbs (incl.)
 - limited 10 year warranty

five reversible blades:





D



E

Energy Efficiency Data
 airflow - 4,950 CFM
 electricity use - 50 Watts (excludes lights)
 airflow efficiency - 99 CFM/Watt




F

Energy Efficiency Data
 airflow - 3,900 CFM
 electricity use - 45 Watts (excludes lights)
 airflow efficiency - 87 CFM/Watt

Energy Efficiency Data
 airflow - 4,950 CFM
 electricity use - 50 Watts (excludes lights)
 airflow efficiency - 99 CFM/Watt

Trevie

- D. 154120** - 52" ceiling fan
 oil rubbed bronze finish
 with antique alabaster glass
- reversible motor for year round comfort
- 3/4" dia. x 4" downrod included
- tri-mount adaptable
- 3-speed pull chain control
- three 60W C base bulbs (incl.)
- lifetime limited warranty

- five reversible blades:
-  dark mahogany finish
 -  bleached oak finish



Bristol

- E. 153791** - 52" ceiling fan
 oil rubbed bronze finish with tea speckled glass
- reversible motor for year round comfort
- 3/4" dia. x 6" and 18" downrods included
- tri-mount adaptable
- 3-speed pull chain control
- three 60W C base bulbs (incl.)
- limited 10 year warranty

- five reversible blades:
-  dark mahogany finish
 -  bleached oak finish

Atrium

- F. 152991** - 30" ceiling fan
 white finish with frosted opal glass
- reversible motor for year round comfort
- hugger mount for tight locations
- 3-speed pull chain control
- one 60W C base bulb
- limited 10 year warranty

- six reversible blades:
-  bleached oak finish
 -  white finish

CEILING FANS

MILLBRIDGE 52" DOWNROD FANS


- reversible motor for year round comfort
- 3/4" dia. x 6" downrod included
- tri-mount adaptable
- 3-speed pull chain control
- 60° swivel hang straight
- 42" lead wire for longer downrod installation
- installs with or without light kit
- limited 10 year warranty

Energy Efficiency Data

airflow - 4,950 CFM

electricity use - 50 watts (excludes lights)

airflow efficiency - 99 CFM/watt



B



A



C

A. 153932

oil rubbed bronze finish with frosted glass

three 60W C base bulbs (incl.)

five reversible blades:



dark mahogany finish



light maple finish

B. 154153

oil rubbed bronze finish

light kit adaptable

five reversible blades:



dark mahogany finish



light maple finish

C. 153957

satin nickel finish with frosted glass

three 60W C base bulbs (incl.)


five reversible blades:





black finish





light maple finish



D. 154146
satin nickel finish
light kit adaptable

- five reversible blades:
-  black finish
 -  light maple finish

E. 153965
white finish with frosted glass
three 60W C base bulbs (incl.)

- five reversible blades:
-  bleached oak finish
 -  white finish

CEILING FANS

MILLBRIDGE 52" HUGGER FANS

- reversible motor for year round comfort
- hugger mount for tight locations
- 3-speed pull chain control
- 12" lead wire
- installs with or without light kit
- limited 10 year warranty

Energy Efficiency Data

airflow - 4,900 CFM

electricity use - 50 Watts (excludes lights)

airflow efficiency - 98 CFM/Watt



B



A

A. 153411

oil rubbed bronze finish with frosted glass

three 60W C base bulbs

five reversible blades:



dark mahogany finish

light maple finish

B. 156018

satin nickel finish with frosted glass


three 60W C base bulbs

five reversible blades:





black finish



light maple finish



C. 156596
white finish with frosted glass
three 60W C base bulbs

- five reversible blades:
-  bleached oak finish
 -  white finish

D. 156604
polished brass finish with frosted glass
three 60W C base bulbs

- five reversible blades:
-  medium oak finish
 -  walnut finish

CEILING FANS

MILLBRIDGE 52" DOWNROD FANS | MILLBRIDGE 42" HUGGER FANS

- reversible motor for year round comfort
- 3/4" dia. x 4" downrods included
- tri-mount adaptable
- 3-speed pull chain control
- 60° swivel hang straight
- 42" lead wire for longer downrod installation
- installs with or without light kit
- limited 10 year warranty

Energy Efficiency Data

airflow - 5,380 CFM

electricity use - 65 Watts (excludes lights)

airflow efficiency - 83 CFM/Watt



B



A

A. 154237

oil rubbed bronze finish with frosted glass

three 13W GU24 bulbs (incl.)

five reversible blades:



dark mahogany finish

light maple finish

B. 154229

satin nickel finish with frosted glass

three 13W GU24 bulbs (incl.)

five reversible blades:



black finish

light maple finish



- reversible motor for year round comfort
- 3-speed pull chain control
- 12" lead wire
- schoolhouse light kit
- installs with or without light kit
- limited 10 year warranty

Energy Efficiency Data

airflow - 4,400 CFM

electricity use - 45 Watts (excludes lights)

airflow efficiency - 98 CFM/Watt



D



C

C. 156588

polished brass finish with opal glass

one 60W C base bulb

four reversible blades:



medium oak finish



walnut finish

D. 157958

white finish with opal glass

one 60W C base bulb

four reversible blades:



bleached oak finish



white finish

CEILING FAN LIGHT KITS

LIGHT KITS



A



B



C



D

Light Kits

A. 154187

*oil rubbed bronze finish
with alabaster glass*

three 60W C base bulbs
fits light kit adaptable ceiling fans
with a 3^{1/2}" (90mm) switch housing cap
limited 10 year warranty

B. 154195

*satin nickel finish
with alabaster glass*

three 60W C base bulbs
fits light kit adaptable ceiling fans
with a 3^{1/2}" (90mm) switch housing cap
limited 10 year warranty

C. 154211

*oil rubbed bronze finish
with alabaster glass*

three 60W C base bulbs
fits light kit adaptable ceiling fans
with 1/2" threaded center post
limited 10 year warranty

D. 154203

*satin nickel finish
with alabaster glass*

three 60W C base bulbs
fits light kit adaptable ceiling fans
with 1/2" threaded center post
limited 10 year warranty

CEILING FANS

REMOTE CONTROL | 3/4" DIAMETER DOWNRODS



E



3/4" diameter

Remote Control

E. 154286

Turn any ceiling fan into a remote control unit. Easy to install and easy to use! Requires 9V battery (not included). Reverse function may not operate with remote control. The remote control includes the following features:

- fan on/off function
- light on/off function and dimmer (incandescent only)
- 3-speed fan control
- operation range within 30 feet
- limited 10 year warranty

3/4" Diameter Downrods

For optimal cooling, choose the downrod length to position the fan at approximately 8 to 9 feet above the floor. To calculate downrod length use the following formula:

(ceiling height in feet - 9) * 12 = recommended downrod length

length	finish	order code	box pack
12"	satin nickel	153460	12
12"	bronze	153494	12
18"	white	153437	12
24"	satin nickel	153478	12
24"	bronze	153502	12
36"	white	153452	12
36"	satin nickel	153486	12
36"	bronze	153510	12

