


For the best results guaranteed, *Kaycan* products are backed by the most comprehensive **No-Nonsense Limited Lifetime Warranty**. Your *Kaycan* vinyl siding is protected against peeling, flaking, blistering, denting; is stain resistant and never needs repainting.



Kaycan offers a wide selection of exterior home building products with the same built-in beauty and protection as their vinyl siding: Soffits, Kaytec™ Windows, Shutters, Aluminum Soffit and Siding, Aluminum Gutters and Downspouts, Gable Vents and Mounting Blocks.







Important: Colors shown may differ slightly due to printing techniques.

Please refer to actual color chips for accurate color representation.



www.kaycan.com

1-800-952-9226







Kaycan's high performance, superbly crafted vinyl siding and accessories are designed with unsurpassed strength, durability and worry-free maintenance for **the ultimate in beauty and protection for your home**.

# it's about beauty

Low gloss finish of *Kaycan's* exclusive *Duratron™ Vinyl Formula*, realistic wood grain texture, deep shadow lines and infused-color throughout the panel give the **closest appearance and feel of natural wood**, virtually maintenance-free.

**A limitless choice** of designer colors, accent trims, soffit and accessories that match the strength, natural look and maintenance-free durability of *Kaycan* vinyl siding.

### it's about protection

Patented *Duratron™ Vinyl Formula* combines 11 of the **highest quality ingredients with state-of-the-art technology** for lasting performance in all types of environments.

Exclusive Secure™ locking system **firmly locks panels together** for the greatest rigidity and stability.

#### it's about trust

For more than four decades Kaycan has been the trusted name in home siding and accessories by continuing to deliver incomparable product performance and exceptional quality care.

All Kaycan products are put through a variety of rigorous testing by an independent testing laboratory and meet or exceed North American building codes: IBC, IRC, UBC, BNBC, SBC and NBC (National Building Code of Canada).

Regulatory compliance: ICC Evaluation Report ESR-1495, Conforms with UBC Standard 14-2, VSI Certified - Conforms to ASTM D3679, Evaluation Listing CCMC 11814-L and 12783-L - Conforms to CAN/SGSB 41.24, Florida Building Code 2007 Approved, Miami-Dade Product Control Approved.

# **Duratr**<sub>I</sub>n<sup>™</sup>

The secret to *Duratron's*™ success is combining the highest quality ingredients before even starting production for built-in strength, durability and brilliant color throughout the panel.



# EXCEEDS NATIONAL BUILDING STANDARDS for impact, expansion and contraction...

So your *Kaycan* siding will stand up to the worst Mother Nature can deliver.



# TRIMS AND APPLICATIONS





KAYCAN

# Architectural **Expression**



## **General** and **Starter** Trims


- 1 Starting a Wall
  - How to use the starter strips.
- 2 Using a dual undersill trim
- 3 Using a vertical base trim How to go from one section to

Application of

Dual Undersill Trim

- 4 Finishing a wall with J Trims
- 5 Using double J Channels
- **6 Finishing Trims**

Kaycan Starter Trims



the other.

How to use J Trims.

How to use double J Channels to join two sections of walls.

How to use finishing trims around walls.

# A good start for a great finish












Application of Kaylock Starter Strip

**Dual Undersill Trim** (VT2DUT)


**Vertical Base Trim** (1175)


5/8" J Trim (1035)

1 1/4" J Trim



1 5/8" J Channel (1059)





**Kaylock Starter Strip** (1082, 1083)

Used to secure a cut vinyl siding panel underneath the bottom of a window and the top sheet on the house wall.

**Undersill Trim** 

(1066)

Used to secure a cut vinyl siding panel as per the Undersill Trim. Double slot accepts a bevel or a dutch lap siding panel.

5/8" deep trim with a 1 5/8" face. Used for transition from horizontal to vertical siding. The vertical base trim locks to the horizontal siding.

5/8" deep trim with a 3/4" face. This is the standard trim used around doors and windows. DaVinci 5/8" J Trim (1034). Hardwood Valley II 5/8" J Trim (VJB58HV).

1 1/4" deep trim with a 3/4" face. Used for deeper profiled siding or when insulation is being used behind the siding.

1 5/8" deep trim with a 3/4" face. Used when insulation is behind the siding.

"Belly trim" with 3 1/2" face and a built in "J". Used as a 3 1/2" band in a horizontal siding wall.

**Double 3 1/2"** 

"Belly trim" with 6" face with built in "J". Used as a 6" band in a horizontal siding wall.

Starter strip is used to lock the first row of siding in place. This starter strip offers a positive lock.

Metal starter strip is used to lock the first row of siding in place. These starter strips offer a snap lock.

1 Standard Corner Post

How to use the standard corner post.

2 2-Piece Corner Post

How to use the 2-piece corner post.

3 Inside Corner Post

How to use the inside corner post.

4 5-Piece Cove Corner Detail

How to use all trims to create the cove corner detail.

# From ordinary to extraordinary

Application of Outside Corner Post



Application of 2-Piece Corner Post



Application of Inside Corner Post



Application of Corner Cove, Window Surround




3" Outside Corner Post (1105)




Corner piece with two 3" faces and two 3/4" wide channels to insert siding. DaVinci™ siding corner post (1098) wide channels.

### 4" Outside Corner Post (1104)



Corner piece with two 6" Corner piece with two 4" faces ribbed faces and two 3/4" and two 1 1/4" wide channels wide channels for siding. to insert Ocean Park™ siding. 4" corner piece for 1 1/2"

### **6" Designer Corner Post** (1107)



#### **6" Traditional** Corner Post (1250)




Decorative corner piece with two 6" faces with setbacks and two 3/4" wide side channels for siding.

#### **Inside Corner Post** (1115)



Inside corner post with one 3/8" face and two 5/8" wide channels for siding.

#### 2-Piece Corner Post



Base corner piece with two 5/8" wide channels for siding. Corner Cap installs over the base and has two 3" faces.

#### **5-Piece Cove Corner Detail**





cove corner detail.

Cove corner made with five trims. Two starter trims (1054), two 5" surround trims (1055) with one Corner Cove Insert (1053). Used together to produce a different and interesting

## Bay/Bow Outside Corner Post (1174)



Corner piece with two 5/8" wide channels for siding. Used when installing siding with bay or bow windows.

## Bay/Bow Inside Corner Post (1173)



Inside corner piece with two 5/8" wide channels for siding. Used when installing siding with bay or bow windows.

## **Soffit** Trims

- 1 Soffit Installation with Trims
  - How to install soffit using F Trims.
- 2 Using an H Trim How to join two sections of a wall
- 3 Exterior Vinyl Fascia Use How to use vinyl fascia with soffit.
- 4 Exterior Aluminum Fascia Use How to use aluminum fascia with soffit.
- **Exterior Aluminum Fascia Use** How to use aluminum fascia with soffit.
- **Exterior Aluminum Fascia Use** How to use aluminum fascia with soffit.

## Add form and function


Application of F Trim

and Soffit

2 Application of


Soffit and Crown Mount

or soffit.







Application of 8" Vinyl Fascia, Soffit and



Application of Large Crown Mold and Frieze Trim




**F Trim** (1178)



Trims with a 5/8" wide channel, used at the top of the wall and on the bottom of the fascia board to insert soffit.

H Trim (1179)




Used to add a break in a wall or ceiling of vertical siding and soffit.

**Soffit Crown Mount** 




This trim is used as a soffit J Trim on top of walls to add a decorative finish under the soffit.

8" Vinyl Fascia



8" vinyl fascia used to finish the exterior of the structure with integrated 5/8" wide channel for soffit. The fascia can be cut down to fit various structure heights.

4", 6", 8" and 10" Ribbed Aluminum Fascia (0495, 0480, 0481, 0535)



Aluminum ribbed fascia used to finish the exterior of the structure.

Large Crown Mold **Frieze Trim** (VTFBR)

Can be used in combination with the Large Crown Mold. The top channel of the frieze is designed to accommodate the soffit, while the Large Crown Mold snaps into the bottom channel and covers the top of the siding wall and undersill trim.

Used in combination with the Frieze Trim, it snaps into the bottom channel of the Frieze Trim and covers the top of the siding wall and undersill trim.

## Window Trims

- 1 Finishing Windows with J Trims How to use J Trims around windows. The detail shown is for the bottom of the window.
- 2 Window Detail with Drip Cap and J Trim How to use J Trims and drip cap on top of a window.

- **3 Window Surround used around a Window** How to use the window starter trim with the window surround trims.
- 4 Flexible J Trim Use How to use the Flexible J Trim to finish a rounded window.

# Enhancing architectural appeal









Application of Flexible J Trim

**Super J Trim** 



Trim used to create architectural details around doors and windows. 3 1/2" Window Surround (1052)



Trim used with the window starter trim to create a wide band around windows.

5" Window Surround



Trim used with the window starter trim to create a wide band around windows.

**Window Starter** (1054)



Trim used to anchor window surround trims.

**Undersill Trim** (1066)




Used to secure a cut vinyl siding panel underneath the bottom of a window and the top sheet on the house wall.

**Drip Cap** 



Trim used over windows to allow water to flow away from the wall.

5/8" Flexible J Trim



Trim used around window tops and shaped windows.

#### The perfect accent makes the perfect home.

As one of North America's largest manufacturers of siding profiles and accessories, Kaycan is renowned for offering a vast array of innovative, long-lasting and low maintenance products. Our accessories, accent products and trims offer the perfect finishing touch for the look you've always imagined.

#### Kaycan... Building Lasting Impressions.

Built on more than 40 years of experience, all our Kaycan vinyl siding and accessories are designed to last for decades. Kaycan has got you covered as all our products are backed by a limited lifetime warranty.











All Kaycan vinyl sidings and accessories are backed by a lifetime Limited Warranty.

## Kaycan Custom Shutters - The Best Fit and Value for Your Home!

# KAYCAN



#### **FEATURES**


- CUSTOM STYLES Traditional Open Louver and colonialstyle Raised Panel designs.
- CUSTOM SIZES Available in custom lengths up to 144" to fit your exact measurements.
- MAINTENANCE-FREE Durable copolymer construction with U.V. stabilized molded-through color. No paint to ever chip, flake or fade,
- WOOD GRAIN TEXTURE AND BEADED DETAILING For that finishing touch without the worry of wood.
- 40-YEAR TRANSFERABLE WARRANTY Includes the finish! (Decorator colors only)
- EASY TO INSTALL WITH SHUTTER-LOK® FASTENERS INCLUDED

Fast and easy installation on any surface including wood, vinyl, aluminum, stucco, fibercement or brick, with no anchors necessary.

For more information and design options, visits our website: www.kaycan.com

#### **DESIGN YOUR OWN SHUTTERS** (Please take one of these forms)

Measure the Width and Length of Each of Your Windows You may include its frame in your measurements. Use the charts at right as a guide.



Choose Your Color (17 Decorator Colors plus Paintable)



OPEN LOUVER (L Type)

Widths: 5 3/4", 9 1/4", 12", 14 1/2", 16 1/2", 18"

Lengths: 18" to 144" (in 1/2" increments)



















RAISED PANEL (P Type)

Standard Width: 14 1/2",

Custom Widths: 9 1/4", 12", 16 1/2", 18"

1 panel - 18" to 55" (in 1/2" increments)

2 panels - 23" to 110" (in 1/2" increments)


3 panels - 33" to 144" (in 1/2" increments)











Recommended shutter width per window width :

WINDOW WIDTH	SHUTTER WIDTH L Type	SHUTTER WIDTH P Type	SHUTTER WIDTH C Type
15" & smaller	5 3/4"		
16" to 20"	9 1/4"	9 1/4"	11 1/4"
21" to 25"	12"	12"	11 1/4"
26" to 32"	14 1/2"	14 1/2"	14 7/8"
33" to 35"	16 1/2"	16 1/2"	14 7/8"
36" +	18"	18"	14 7/8"







**#30 PAINTABLE** 

cannot be painted.

Decorator Colors shown Choose #30 Paintable for your custom colors.

#### Fill in this Form

Take completed form to the special order desk. Your shutters will be delivered within 10 working days.

#### Please Note:

Custom shutters are not returnable.

Shutter orders cannot be modified or cancelled once they are sent in.

No. of Pairs	Style Code	Width	Length	Color No.	Comments

CHARLESTON

OPEN LOUVER (C Type)

Widths: 11 1/4", 14 7/8"

Lengths: 18" to 144"

(in 1/2" increments)

Actual colors may differ

#09 FEDERAL BROWN

#23 WICKER

#167 BORDEAUX

slightly from printed

representations.